

Appendix A (Page 1 of 2)

EXAMPLES OF SAFETY DATA SHEET INFORMATION

The following are different examples of what an SDS may contain for reproductive toxicity and possible harm to foetuses and babies.

Chemwatch Mini SDS	Health Ha	zard Information	on
	Blue and white pictograms	Risk code	Risk phrases
Chronic Health Effects	(4)	R60	May impair fertility.
	? 💥	R63	May cause harm to unborn child.
	? 💥	R64	May cause harm to breastfed babies.

Vendor SDS		Chemwatch SDS			
Hazard statement(s) H302	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	Hazard statement(s)			
H315		H302	Harmful if swallowed		
H319 H335		H319	Causes serious eye irritation		
11000	way cause respiratory initiation.	H351	Suspected of causing cancer		
Precautionary statement(s)	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.	H361	Suspected of damaging fertility or the unborn child		
Prevention		H362	May cause harm to breast-fed children*		
P261		H335	May cause respiratory irritation		
P264 P270		H402	Harmful to aquatic life		
P271 P280	Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.	*LIMITED EVIDENCE			
		Precautionary statement(s): Prevention			
			Obtain special instructions before use.		
			Do not breathe dust/fume/gas/mist/vapours/spray.		
			Avoid contact during pregnancy/while nursing.		
		P271	Use only outdoors or in a well-ventilated area.		
		P280	Wear protective gloves/protective clothing/eye protection/face protection.		
		P270	Do not eat, drink or smoke when using this product.		
		P273	Avoid release to the environment.		

HSW Handbook	Chemical Management (Reproductive toxicity Information Sheet)	Effective Date:	14 June 2020	Version - 2.1		
Authorised by	Director, HSW	Review Date:	1 July 2022	Page 1 of 2		
Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.					



Appendix A (Page 2 of 2)

Vendor SDS Chemwatch SDS 11. TOXICOLOGICAL INFORMATION Exposure to the material may cause concerns for humans owing to possible developmental toxic effects, 11.1 Information on toxicological effects generally on the basis that results in appropriate animal studies provide strong suspicion of developmental toxicity Acute toxicity LD50 Oral - rat - 526 mg/kg in the absence of signs of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not a secondary non-specific consequence of other toxic effects Skin corrosion/irritation Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health no data available effects involving organs or biochemical systems. Serious eye damage/eye irritation no data available Neuromuscular effects result from chronic over-exposure to lithium compounds. These may include tremor, ataxia, clonus and hyperactive reflexes. Some animal studies have shown that exposure during pregnancy may Respiratory or skin sensitisation produce birth defects. Other studies with rats, rabbits and monkeys have not shown teratogenic effects. Human data are ambiguous; it is well established that lithium can cross the human placenta. Of 225 registered Germ cell mutagenicity pregnancies in which the mothers had received lithium (as a tranquiliser) there were 25 instances of congenital no data available malformation. Although pharmacological doses of lithium cannot be unequivocally designated as a human Carcinogenicity teratogen, lithium therapy is contraindicated in women of childbearing potential. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity

Table 5: Labelling and reproductive toxicity an extract from the Work Health and Safety Regulations 2012: Classification and labelling for workplace hazardous chemicals poster.

Classifi		Labelling				
Haz	ard	Pictogram	Signal	Hazard Statement		
Class	Category	code	word	Code	Text	
	Category 1A Category 1B	GHS08	Danger	H340	May cause defects ⁽¹⁾	
Germ cell mutagenicity	Category 2		Warning	H341	Suspected of causing genetic defects ⁽¹⁾	
	Category 1A	GHS08	Danger	H360 ⁽²⁾	May damage fertility or the unborn child.	
Reproductive	Category 1B			H360F(3) H360D(3) H360FD(3) H360Fd(3)	May damage fertility. May damage the unborn child. May damage fertility. May damage the unborn child. May damage fertility. Suspected of damaging the unborn child. May damage the unborn child. Suspected of damaging fertility.	
toxicity				H361 ⁽²⁾	Suspected of damaging fertility or the unborn child.	
	Category 2		Warning	H361f ⁽³⁾ H361d ⁽³⁾ H361fd ⁽³⁾	Suspected of damaging fertility. Suspected of damaging the unborn child. Suspected of damaging fertility. Suspected of damaging the unborn child.	
	Additional category for effects on or via lactation	No pictogram	No signal word	H362	May cause harm to breast-fed children.	

Note

- (1) State route of exposure if it is conclusively proven that no other routes of exposure cause the hazard.
- (2) (State specific effect if known)(State route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
- (3) F= fertility, D= Development (lowercase f, d=suspected effect).

HSW Handbook	Chemical Management (Reproductive toxicity Information Sheet)	Effective Date:	14 June 2020	Version - 2.1		
Authorised by	Director, HSW	Review Date:	1 July 2022	Page 2 of 2		
Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.					

^{*}Adapted from Safe Work Australia Classification and labelling of workplace hazardous chemicals poster 13/4/2012.